

MRN: _____

Palmetto Infusion Services

Standard Aralast Plan of Treatment

(Re)Certification Period From _____ to _____

Note: We require MD office notes and may require a letter of Medical Necessity (depending on diagnosis), to be able to verify eligibility and payment for this treatment through patients Medicare and/or other insurance plan.

Patient's Name _____ **Weight:** _____

Allergies: _____ **Height:** _____

Primary Diagnosis _____ Secondary Diagnosis: _____

ORDERS:

Obtain weight each visit. **Vital Signs: baseline and at completion of infusion.**

Instruct patient/caregiver on medications, signs/symptoms of adverse reaction. Assess patient response to therapy.

Utilize existing central line for administration, or initiate a peripheral IV with each infusion, prn. Normal Saline Flush 3-10 ml before infusion. After primary drug has infused, Infuse 20-50ml Normal Saline 0.9% or D5W to flush tubing/line, followed by Heparin Lock 1-5ml 100 units/ml as needed per line type.

Pump, tubing, and supplies needed to complete prescribed therapy.

If adverse drug reaction, Implement the Standing Adverse Reaction protocol.

Drug:

Aralast Other: _____

Dose:

_____ Mg/kg (+/- 10%) over _____ hours via pump. Every _____ weeks

Other: _____

Pharmacist to perform clinical drug monitoring.

Physician's Signature: _____ / _____ Date: _____

(Dispense as written)

(Substitution permitted)

**PLEASE FAX DEMOGRAPHICS AND INSURANCE INFORMATION TO:
TOLL FREE FAX (866) 872-8920**
