



3105 Sunset Blvd.
West Columbia, SC 29169-3425
Phone: (803)771-7740
Fax: (803)771-7782
NPI 1265462659

Patient Name: _____ DOB: _____

Diagnosis: _____ MRN: _____

Medication: _____ Start Date: _____

Dose: _____ Concentration: _____ Route: _____ Dispense: _____

Frequency: _____ Duration: _____ Refills: _____

Labs: CBC CBC with diff CRP CPK CMP ESR VANC TROUGH GENT TROUGH AMIKACIN LEVEL BMP

Other Labs: _____ Lab Frequency: _____

- Palmetto Infusion RN to insert peripheral IV. Change IV site when clinically indicated.
- Sodium Chloride 0.9% 5-10ml flush IV catheter/port before and after medication administration and/or as directed. Flush unused IV line(s) daily.
- Heparin 100units/ml **OR** Heparin 10 units/ml (usually for <18 years)
1-5ml flush IV after Sodium Chloride 0.9% and/or as directed. Flush unused line(s) daily.
- Palmetto Infusion Services Pharmacist to manage above medication.**
- Pump, tubing, and supplies needed to complete prescribed therapy (**AIC Therapy**).
- Administer by Ambulatory Infusion Pump (E0781).
 - Dispense infusion supplies for external drug infusion pump, per cassette or bag (A4222).
 - Dispense supplies for maintenance of drug infusion catheter, per week (A4221).
- Administer by Syringe Pump for subcutaneous infusion – (E0779).
 - Dispense supplies for external drug infusion pump, syringe type cartridge, sterile, each (K0552).
- Palmetto Infusion RN to change vascular access device dressing weekly.
- Discontinue IV when therapy completed.
- Other: _____

_____ / _____ Date: _____
Dispense As Written Substitution Permitted

Printed Physician name: _____ NPI: _____

Verbal order Read Back: _____ RPh/CPhT