



3105 Sunset Blvd.  
West Columbia, SC 29169-3425  
Phone: (803)771-7740  
Fax: (803)771-7782  
NPI 1265462659

Patient Name: \_\_\_\_\_ DOB: \_\_\_\_\_

Diagnosis: \_\_\_\_\_ MRN: \_\_\_\_\_

Medication: \_\_\_\_\_ Start Date: \_\_\_\_\_

Dose: \_\_\_\_\_ Concentration: \_\_\_\_\_ Route: \_\_\_\_\_ Dispense: \_\_\_\_\_

Frequency: \_\_\_\_\_ Duration: \_\_\_\_\_ Refills: \_\_\_\_\_

Labs: CBC CBC with diff CRP CPK CMP ESR VANC TROUGH GENT TROUGH AMIKACIN LEVEL BMP

Other Labs: \_\_\_\_\_ Lab Frequency: \_\_\_\_\_

- Palmetto Infusion RN to insert peripheral IV. Change IV site when clinically indicated.
- Sodium Chloride 0.9% 5-10ml flush IV catheter/port before and after medication administration and/or as directed. Flush unused IV line(s) daily.
- Heparin 100units/ml **OR**  Heparin 10 units/ml (usually for <18 years) 1-5ml flush IV after Sodium Chloride 0.9% and/or as directed. Flush unused line(s) daily.
- Palmetto Infusion Services Pharmacist to manage above medication.**
- Pump, tubing, and supplies needed to complete prescribed therapy (**AIC Therapy**).
- Administer by Ambulatory Infusion Pump (E0781).
  - Dispense infusion supplies for external drug infusion pump, per cassette or bag (A4222).
  - Dispense supplies for maintenance of drug infusion catheter, per week (A4221).
- Administer by Syringe Pump for subcutaneous infusion – (E0779).
  - Dispense supplies for external drug infusion pump, syringe type cartridge, sterile, each (K0552).
- Palmetto Infusion RN to change vascular access device dressing weekly.
- Discontinue IV when therapy completed.
- Other: \_\_\_\_\_

\_\_\_\_\_ / \_\_\_\_\_ Date: \_\_\_\_\_  
Dispense As Written                      Substitution Permitted

Printed Physician name: \_\_\_\_\_ NPI: \_\_\_\_\_

Verbal order Read Back: \_\_\_\_\_ RPh/CPhT