

Phone: 1-800-809-1265 ext 105 Fax: 1-888-417-3658

MRN:				
DOB:				

Standard Plan of Treatment for Methylprednisolone

NOTE: We may require a detailed Letter of Medical Necessity or cliniverify eligibility and payment for this treatment through Medicare and treatment if receiving antibiotics for active infectious process, antifu	nd/or other insurance plans. Patient <u>may be ineligible</u> to receive	
1. Patient Name:	Height (inches):Weight (lbs):	
2. Allergies:		
3. Diagnosis: Primary ICD-10 Code: Diag	gnosis description:	
☐ Other ICD-10 Code:Diagnosis descripti	ion:	
CONFIDENTIAL Property of Palmetto Infusion / CONFIDENTIAL Property	of Palmetto Infusion / CONFIDENTIAL Property of Palmetto Infusion	
Orders: Obtain weight each visit. Instruct patient/c adverse reaction. Assess patient for response to the initiate a peripheral IV with each infusion as needed and as needed during the infusion. Follow infusion peripheral IV as required for multiple day treatment needed to complete prescribed therapy. Pharmacist reaction occurs, utilize the ADVERSE DRUG REACTION CONFIDENTIAL Property of Palmetto Infusion / CONFIDENTIAL Property 4. Drug: Methylprednisolone mg IV in approximately manual property of palmetto Infusion in the property of Palmetto Infusion in	herapy. Utilize existing central line for administration of the control of the co	r, r to
5. Frequency: Once Daily x dose (s) Other:	· ——	
Special Orders:		
6. Physician's Signature: No Stamp Signatures (Dispense as written)	/ Date:	
Printed Physician's Name with Credentials:	NPI:	
7. Preference: Ambulatory Clinic OR Ho	ome Infusion	

8. Fax updated supporting clinical MD notes with each order renewal or change in orders Infusion order forms available at www.palmettoinfusion.com



Phone: 1-800-809-1265 ext 105 Fax: 1-888-417-3658

MRN:				
DOR:				

Guidelines for Prescribing for Methylprednisolone

(Required documentation with all initial referrals)

Patient	: Name:	Referral Date:
	Include signed and completed Plan of Treatment . (MD mu (Infusion order forms & Standard Adverse Reactions orders are available at w	•
76 78	Include patient demographic information and insurance inf	ormation. (Copy of insurance cards if available)
	Supporting clinical MD notes to include any past tried and outcomes or contraindications to conventional therapy. I support diagnosis.	•
	Other as requested:	

** Warnings/Precautions: Serious Infections: Infections General Patients who are on corticosteroids are more susceptible to infections than are healthy individuals. There may be decreased resistance and inability to localize infection when corticosteroids are used. Infections with any pathogen (viral, bacterial, fungal, protozoan, or helminthic) in any location of the body may be associated with the use of corticosteroids alone or in combination with other immunosuppressive agents. Fungal infections: Corticosteroids may exacerbate systemic fungal infections and therefore should not be used in the presence of such infections unless they are needed to control drug reactions. Vaccination: Administration of live or live, attenuated vaccines is contraindicated in patients receiving immunosuppressive doses of corticosteroids. Killed or inactivated vaccines may be administered. However, the response to such vaccines cannot be predicted. Antidiabetics: Because corticosteroids may increase blood glucose concentrations, dosage adjustments of antidiabetic agents may be required. See full prescribing information

Palmetto Infusion Services will complete insurance verification and submit all required clinical documentation to the patient's insurance company for eligibility. Our office will notify you if any further information is required. We will review financial responsibility with the patient and refer them to any available Co-pay assistance as required. Thank you for the referral.

Please fax all information to 1-888-417-3658 or call 1-800-809-1265 for assistance.