

Referral Status:	MRN:
<input type="checkbox"/> New referral	<input type="checkbox"/> Order change
<input type="checkbox"/> Order Renewal	
Patient preferred clinic:	

Cimzia® (certolizumab pegol) Standard Plan of Treatment for Gastroenterology

PATIENT DEMOGRAPHICS:

Date of Referral:	Patient's Phone:
Patient Name:	Address:
Date of Birth:	City, State, Zip:
Height in inches:	Weight: LB or KG
Gender:	Allergies:
<input type="checkbox"/> See list	<input type="checkbox"/> NDKA

DIAGNOSIS: (PLEASE COMPLETE 2ND AND 3RD DIGITS TO COMPLETE ICD 10 FOR BILLING)

<input type="checkbox"/> K50.____ - Crohn's disease (small intestine)
<input type="checkbox"/> K50.1 - Crohn's disease (large intestine)
<input type="checkbox"/> K50.8 - Crohn's disease (small & large intestine)
<input type="checkbox"/> K50.9 - Crohn's disease, unspecified
<input type="checkbox"/> ____ - Other:

REQUESTED DOCUMENTATION:

PREVIOUS ADMINISTRATION: HAS THIS PATIENT TAKEN THIS MEDICATION BEFORE?

1 Insurance information	IF NO:	IF YES:
2 Most recent History & Physical	PLEASE STATE	LAST INJECTION DATE:
3 Full medication list	REQUIRED WASHOUT	NEXT INJECTION DATE:
4 Tried and failed therapies	FROM PREVIOUS	
5 REQUIRED: TB screening for new start patients	THERAPY:	IF ORDER CHANGE:
6 HBV screening/labs as required by payor		<input type="checkbox"/> Continue current order until insurance approved

MEDICATION ORDERS:

NOTE: Patient may be ineligible to receive certolizumab pegol if receiving antibiotics for active infectious process, antifungal therapy, active fever and/or suspected infection, new or worsening symptoms of CHF, new-onset or deterioration neurological changes, and/or surgery.

DOSE/FREQUENCY:

<input type="checkbox"/>	Induction: Cimzia® (certolizumab pegol) 400mg at week 0, week 2, week 4, and every 4 weeks thereafter
<input type="checkbox"/>	Maintenance: Cimzia® (certolizumab pegol) 400mg every 4 weeks

Administer as 2 divided subcutaneous injections to separate sites in the abdomen or thigh only

SPECIAL ORDERS:

<input type="checkbox"/>	
--------------------------	--

Prescriber confirms that the patient has been evaluated and screened for the presence of hepatitis B virus (HBV) prior to initiating treatment.
 Prescriber to monitor patient for symptoms of HBV and TB infection and reactivation as clinically appropriate.



Refills x 12 months unless noted otherwise here:

ADVERSE REACTION & ANAPHYLAXIS ORDERS:

Administer acute infusion and anaphylaxis medications per Palmetto Infusion standing adverse reaction orders, which can be found at our website or scan here.



PRESCRIBER INFORMATION:

PROVIDER NAME:	PHONE:
ADDRESS:	FAX:
CITY, STATE, ZIP:	NPI:

PRESCRIBER SIGNATURE: (No stamp signatures)

DATE

Dispense as written/Brand medically necessary	Substitution permitted	