

Referral Status:	MRN:		
<input type="checkbox"/> New referral	<input type="checkbox"/> Order change	<input type="checkbox"/> Order Renewal	
Patient preferred clinic:			

Infliximab Unspecified Plan of Treatment for Rheumatology

PATIENT DEMOGRAPHICS:

Date of Referral:	Patient's Phone:						
Patient Name:	Address:						
Date of Birth:	City, State, Zip:						
Height in inches:	Weight:	LB or	KG	Gender:	Allergies:	<input type="checkbox"/> See list	<input type="checkbox"/> NKDA

DIAGNOSIS: (PLEASE COMPLETE 2ND AND 3RD DIGITS TO COMPLETE ICD 10 FOR BILLING)

M05._____ - Rheumatoid Arthritis with Rheumatoid factor	D86.0_____ - Sarcoidosis of the Lung
M06._____ - Rheumatoid Arthritis without Rheumatoid factor	L40.5_____ - Psoriatic Arthropathy
M45._____ - Ankylosing Spondylitis	
_____ - Other:	

REQUESTED DOCUMENTATION:

1	Insurance information
2	Most recent History & Physical
3	Full medication list
4	Tried and failed therapies
5	TB screening
6	HBV screening/labs as required by payor

PREVIOUS ADMINISTRATION: HAS THIS PATIENT TAKEN THIS MEDICATION BEFORE?

IF NO:	IF YES:
PLEASE STATE REQUIRED WASHOUT FROM PREVIOUS THERAPY:	LAST INFUSION DATE:
	NEXT INFUSION DATE:
IF ORDER CHANGE:	
Continue current order until insurance approved	

MEDICATION ORDERS:

NOTE: Patient may be ineligible to receive infliximab if receiving antibiotics for active infectious process, antifungal therapy, active fever and/or suspected infection, new or worsening symptoms of CHF, new-onset or deterioration neurological changes, and/or surgery.

PREMEDICATION TO BE ADMINISTERED 30 MINUTES PRIOR TO ADMINISTRATION AS SELECTED

Premedication with antihistamines, acetaminophen, and/or corticosteroids may be considered to prevent infusion-related reactions.

IV	Diphenhydramine	25mg	50mg		PO	Acetaminophen	325mg	500mg	650mg	1000mg
	Methylprednisolone	40mg	125mg	Other:		Famotidine	20mg	40mg		
	Famotidine	20mg	40 mg			Diphenhydramine	25mg	50mg		
	Other:					Fexofenadine	60mg	180mg		
					Cetirizine	10mg				
					Loratadine	10mg				
					Other:					

DRUG PRODUCT:

- Remicade
- Avsola
- Inflectra
- Renflexis

Biosimilar may be used according to payer guidelines

If selected, prescriber must sign substitution permitted line

DOSE:

- 3mg/kg diluted in NS infused IV per step protocol over 2 hours
- Other: _____
- May utilize expedited infusion per protocol to run over 1 hour as tolerated

Prescriber confirms that the patient has been evaluated and screened for the presence of hepatitis B virus (HBV) prior to initiating treatment.

Prescriber to monitor patient for symptoms of HBV infection and reactivation as clinically appropriate.

FREQUENCY:

- Induction to be completed at week 0, week 2, and week 6, and then every 8 weeks thereafter
- Maintenance every 8 weeks
- Infuse every _____ weeks

SPECIAL/LAB ORDERS:

<input type="checkbox"/>	_____
<input type="checkbox"/>	_____

Refills x 12 months unless noted otherwise here:

LINE USE/CARE ORDERS:

- Start PIV/Access CVC
- Flush device per facility standard flushing procedure

ADVERSE REACTION & ANAPHYLAXIS ORDERS:

Administer acute infusion and anaphylaxis medications per Palmetto Infusion/AccuRX standing adverse reaction orders, which can be found at our website or scan here.



PRESCRIBER INFORMATION:

PROVIDER NAME:	PHONE:
ADDRESS:	FAX:
CITY, STATE, ZIP:	NPI:

PRESCRIBER SIGNATURE: (No stamp signatures)

DATE:

Dispense as written/Brand medically necessary	Substitution permitted



Checklist for referrals to AccuRX Infusion:

Fax referral to 1.866.990.3192

- Patient demographics – address, phone number, SS#, etc.**
- Insurance Information – copy of the card(s) if possible**
- Plan of Treatment/Orders**
- Most recent physician office notes to include tried and failed therapies – all insurance companies that require a pre-authorization require the note. This includes Medicare/Medicaid HMOs.**
- Any lab results or other diagnostic procedures to support the diagnosis**

Palmetto Infusion will complete insurance verification and submit all required clinical documentation to the patient's insurance company for eligibility.

Our office will notify you if any further information is required.

We will review financial responsibility with the patient and refer them to any available co-pay assistance as required. AccuRX Infusion Call Center 888.410.0317. Thank you for the referral.

www.AccuRXInfusion.com