

Referral Status:	MRN:
<input type="checkbox"/> New referral	<input type="checkbox"/> Order change
<input type="checkbox"/> Order Renewal	
Patient preferred clinic:	

## Stelara® (ustekinumab) Plant of Treatment for Rheumatology & Dermatology

### PATIENT DEMOGRAPHICS:

Date of Referral:	Patient's Phone:
Patient Name:	Address:
Date of Birth:	City, State, Zip:
Height in inches:	Weight: LB or KG
Gender:	Allergies:
	See list
	NDKA

### DIAGNOSIS: (PLEASE COMPLETE 2<sup>ND</sup> AND 3<sup>RD</sup> DIGITS TO COMPLETE ICD 10 FOR BILLING )

<input type="checkbox"/> L40.50 - Arthropathic psoriasis, unspecified	<input type="checkbox"/> L40.0 - Psoriasis vulgaris
<input type="checkbox"/> L40.59 - Other psoriatic arthropathy	<input type="checkbox"/> L40.9 - Psoriasis, unspecified
<input type="checkbox"/> - Other:	

### REQUESTED DOCUMENTATION:

### PREVIOUS ADMINISTRATION: HAS THIS PATIENT TAKEN THIS MEDICATION BEFORE?

1	Insurance information	IF NO:	IF YES:
2	Most recent History & Physical	PLEASE STATE	LAST INJECTION DATE:
3	Full medication list	REQUIRED WASHOUT	NEXT INJECTION DATE:
4	Tried and failed therapies	FROM PREVIOUS	
5	<b>REQUIRED:</b> TB screening for new start patients	THERAPY:	
6			

**Continue current order until insurance approved**

### MEDICATION ORDERS:

NOTE: Patient may be ineligible to receive ustekinumab if receiving antibiotics for active infectious process, antifungal therapy, active fever and/or suspected infection, new-onset or deterioration neurological changes, and/or surgery

### DOSE/FREQUENCY:

☐ Stelara® (ustekinumab) 45mg subcutaneous injection

☐ Induction: Injection at 0 week, 4 week, and then every 12 weeks

☐ Maintenance: Injection every 12 weeks

☐ Stelara® (ustekinumab) 90mg subcutaneous injection

☐ Induction: Injection at 0 week, 4 week, and then every 12 weeks

☐ Maintenance: Injection every 12 weeks

**\*Note: 90mg dose only suggested for patients greater than 100kg with psoriasis or psoriatic arthritis with co-existent moderate to severe plaque psoriasis.**

Administer as a subcutaneous injection to the upper arm, gluteal region, thigh, or abdomen

### SPECIAL ORDERS:

<input type="checkbox"/>	<input checked="" type="checkbox"/> Refills x 12 months unless noted otherwise here:
--------------------------	--

### LINE USE/CARE ORDERS:

- ☒ Start PIV/Access CVC
- ☒ Flush device per facility standard flushing procedure

### ADVERSE REACTION & ANAPHYLAXIS ORDERS:

Administer acute infusion and anaphylaxis medications per Palmetto Infusion standing adverse reaction orders, which can be found at our website or scan here.



### PRESCRIBER INFORMATION:

PROVIDER NAME:	PHONE:
ADDRESS:	FAX:
CITY, STATE, ZIP:	NPI:

### PRESCRIBER SIGNATURE: (No stamp signatures)

DATE

Dispense as written/Brand medically necessary	Substitution permitted	