

INFUSION* Phone: 1-800-809-1265 Fax: 1-866-872-8920

Referral Status:	MRN:	
New referral	Order change	Order Renewal
Patient preferred clinic:		

Vvvqart [™]	(efgartigimod	alfa-fcab)	Standard	Plan o	of Treatment
- , - ; ,	(0 1 2) 011 01 2) 111 1 0 01				

vy	vgart (ergartigimo	od aita-tcab) Stand	ard Plan C	or i reatment				
PA1	ΓΙΕΝΤ DEMOGRAPHICS:							
Date of Referral:			Patient's Phon	e:				
Patient Name:			Address:					
Date of Birth:			City, State, Zip:					
Height in inches: Weight: LB or KG			Gender:	Allergies:	See list	NKDA		
DIA	GNOSIS: (PLEASE COMPLETE	2 ND AND 3 RD DIGITS TO CO	MPLETE ICD 10	0 FOR BILLING)				
	G70.00 - Myasthenia Gravis withou							
	G70.01 - Myasthenia Gravis with ac	cute exacerbation						
	- Other:							
REC	QUESTED DOCUMENTATION:	PREVIOUS ADMIN	IISTRATION: HA	S THIS PATIENT TAKEN THIS	MEDICATION BE	FORE?		
1	Insurance information	IF NO:	IF YES:					
2	Most recent History & Physical	PLEASE STATE	LAST INFUSION DATE:					
3	Full medication list	REQUIRED WASHOUT	NEXT INFUSION	NEXT INFUSION DATE:				
4	Tried and failed therapies	FROM PREVIOUS THERAPY:	IF ORDER CHA	NGE:				
5	MG-ADL Score/MGFA classification							
6	Positive AChR antibody		Co	ntinue current order unt	il insurance ap	proved		
D/IE	DICATION OPPERS							
	DICATION ORDERS: E: Patient may be ineligible to receive	TM 16						
and/	or recent or planned surgery.	s vyvgart ii receiving antibiotics	TOT ACTIVE ITHECTION	us process, anulungal therapy, le	vei aliu/oi suspecie	iniection,		
<u>DO</u> :								
>	Vyvgart [™] 10mg/kg diluted in 12	25ml NS administered as an I\	/ infusion over o	one hour once weekly for 4 we	eeks. (1 cycle)			
	Note: Max dose of 1200mg will	be given to patients with a wei	ight greater than	n or equal to 120KG				
	Flush entire in	fusion line with NS. Monitor	patient for one	hour after completion of in	nfusion.			
FRE	QUENCY:							
	Repeat cycle weeks fro	om date of last infusion: patien	t to receive	cycles				
	Other:	, 1						
SPF	CIAL/LAB ORDERS:							
<u> </u>	7							
			Defille	(10 months, if fraguency is d	ofined unless not	tod		
				(12 months, if frequency is d se here:	eimed, uniess not	.eu		
LINE USE/CARE ORDERS:			ADVERSE REACTION & ANAPHYLAXIS ORDERS:					
✓	Start PIV/Access CVC			ster acute infusion and	⊞ 4.7	X III YO		
✓	🕇 Flush device per facility standa	rd flushing procedure		laxis medications per Palmet	to			
				Infusion standing adverse reaction				
				which can be found at our or scan here.				
			website	or scarriere.	# , #			
DDE	ESCRIBER INFORMATION:							
			IDUONE					
PROVIDER NAME:			PHONE:					
ADDRESS:			FAX:					
	Y, STATE, ZIP:		NPI:					
PRE	ESCRIBER SIGNATURE: (No sta	amp signatures)			DATE:			
	Dispense as written/Brand	medically necessary		Substitution perm	nitted			