

Referral Status:	MRN:
<input type="checkbox"/> New referral	<input type="checkbox"/> Order change
<input type="checkbox"/> Order Renewal	
Patient preferred clinic:	

ONPATTRO™ (patisiran) Standard Plan of Treatment

PATIENT DEMOGRAPHICS:

Date of Referral:	Patient's Phone:
Patient Name:	Address:
Date of Birth:	City, State, Zip:
Height in inches:	Weight: LB or KG
Gender:	Allergies:
<input type="checkbox"/> See list	<input type="checkbox"/> NKDA

DIAGNOSIS: (PLEASE COMPLETE 2ND AND 3RD DIGITS TO COMPLETE ICD 10 FOR BILLING)

E85.1 - Neuropathic Heredofamilial amyloidosis
- Other:

REQUESTED DOCUMENTATION:

1	Insurance information	IF NO:	IF YES:
2	Most recent History & Physical	PLEASE STATE	LAST INFUSION DATE:
3	Full medication list	REQUIRED WASHOUT	NEXT INFUSION DATE:
4	Tried and failed therapies	FROM PREVIOUS	IF ORDER CHANGE:
5	Labs/Tests supporting primary diagnosis (serum TTR, PND Scores, FAP stage, or modified Neuropathy Impairment Scores)	THERAPY:	
			Continue current order until insurance approved

MEDICATION ORDERS:

NOTE: Patient may be ineligible to receive ONPATTRO™ if demonstrating signs and symptoms suggestive of **vitamin A deficiency**.

PREMEDICATION: To be administered 60 minutes prior to infusion as selected.

*FDA labeling suggests that all patients are premedicated with IV corticosteroid, acetaminophen 500mg PO, and both H1 and H2 antihistamine blocker IV 60 minutes prior to infusion as per selected by referring physician below.

IV	Diphenhydramine	25mg	50mg		PO	Acetaminophen	325mg	500mg	650mg	1000mg
	Methylprednisolone	40mg	125mg	Other:		Famotidine	20mg	40mg		
	Famotidine	20mg	40mg			Diphenhydramine	25mg	50mg		
	Dexamethasone	10mg	Other:			Fexofenadine	60mg	180mg		
	Other:					Cetirizine	10mg			
					Loratadine	10mg				
					Other:					

MEDICATION:

ONPATTRO™ (patisiran) in NS for a total volume of 200 ml IV via pump as per step protocol. Infuse over approximately 80 minutes.

Utilizing infusion set and line that are DEHP-free.

DOSE /FREQUENCY:

< 100kg: 0.3mg/kg IV once every 3 weeks

≥ 100kg: 30mg IV once every 3 weeks

Other: _____

SPECIAL/LAB ORDERS:

<input type="checkbox"/>	_____
--------------------------	-------

***If dose is received within 3 days of missed dose, then continue dosing according to original schedule. If greater than 3 days after missed dose, then continue dosing every 3 weeks thereafter.**



Refills x 12 months unless noted otherwise here: _____

LINE USE/CARE ORDERS:

- Start PIV/Access CVC
- Flush device per facility standard flushing procedure
- Provide nursing care per Palmetto Infusion Nursing Procedures and post procedure observation if indicated

ADVERSE REACTION & ANAPHYLAXIS ORDERS:

Administer acute infusion and anaphylaxis medications per Palmetto Infusion standing adverse reaction orders, which can be found at our website or scan here.



PRESCRIBER INFORMATION:

PROVIDER NAME:	PHONE:
ADDRESS:	FAX:
CITY, STATE, ZIP:	NPI:

PRESCRIBER SIGNATURE: (No stamp signatures)

DATE:

Dispense as written/Brand medically necessary	Substitution permitted



Checklist for referrals to Palmetto Infusion: Fax referral to 1.866.872.8920

- Patient demographics - address, phone number, SS#, etc.**
- Insurance information - copy of the card(s) if possible**
- Plan of Treatment/Orders**
- Most recent physician office notes to include tried and failed therapies - all insurance companies that require a pre-authorization require the note. This includes Medicare/Medicaid HMOs.**
- Any lab results or other diagnostic procedures to support the diagnosis.**

Palmetto Infusion will complete insurance verification and submit all required clinical documentation to the patient's insurance company for eligibility.

Our office will notify you if any further information is required.

We will review financial responsibility with patient and refer them to any available co-pay assistance as required. Palmetto Infusion Call Center 800.809.1265. Thank you for your referral.

www.PalmettoInfusion.com