

Referral Status:	MRN:
<input type="checkbox"/> New referral	<input type="checkbox"/> Order change
<input type="checkbox"/> Order Renewal	
Patient preferred clinic:	

## Skyrizi® (risankizumab-rzaa) Standard Plan of Treatment for Crohn's Disease

### PATIENT DEMOGRAPHICS:

Date of Referral:	Patient's Phone:				
Patient Name:	Address:				
Date of Birth:	City, State, Zip:				
Height in inches:	Weight: LB or KG	Gender:	Allergies:	See list	NKDA

### DIAGNOSIS: (PLEASE COMPLETE 2<sup>ND</sup> AND 3<sup>RD</sup> DIGITS TO COMPLETE ICD 10 FOR BILLING)

K50.0 - Crohn's Disease (small intestine)	K50.1 - Crohn's Disease (large intestine)
K50.8 - Crohn's Disease (small & large intestine)	K50.9 - Crohn's Disease
- Other:	

### REQUESTED DOCUMENTATION:

1 Insurance information	IF NO:	IF YES:
2 Most recent History & Physical	PLEASE STATE	LAST INFUSION DATE:
3 Full medication list	REQUIRED WASHOUT	NEXT INFUSION DATE:
4 Tried and failed therapies	FROM PREVIOUS	<b>IF ORDER CHANGE:</b>
5 <b>REQUIRED:</b> TB screening for new start	THERAPY:	
6 Baseline LFTs and bilirubin level		
		<b>Continue current order until insurance approved</b>

### MEDICATION ORDERS:

NOTE: Patient may be ineligible to receive risankizumab-rzaa if receiving antibiotics for active infectious process, antifungal therapy, active fever and/or suspected infection, new-onset or deterioration neurological changes, and/or surgery.

### PREMEDICATION TO BE ADMINISTERED 30 MINUTES PRIOR TO ADMINISTRATION AS SELECTED

<b>IV</b>	Diphenhydramine	25mg	50mg		<b>PO</b>	Acetaminophen	325mg	500mg	650mg	1000mg
	Methylprednisolone	40mg	125mg	Other:		Famotidine	20mg	40mg		
	Famotidine	20mg	40 mg			Diphenhydramine	25mg	50mg		
	Other:					Fexofenadine	60mg	180mg		
					Cetirizine	10mg				
					Loratadine	10mg				
					Other:					

### MEDICATION/DOSE:

Skyrizi® (risankizumab-rzaa) 600mg/10ml in 100ml-500ml of NS given IV over at least 1 hour

### SPECIAL/OTHER LAB ORDERS:

\_\_\_\_\_

\_\_\_\_\_

### FREQUENCY:

Week 0, week 4, and week 8

Other: \_\_\_\_\_

### NURSING ORDERS:

- Start PIV/Access CVC
- Flush device per facility standard flushing procedure
- Provide nursing care per Palmetto Infusion Nursing Procedures and post procedure observation if indicated

### ADVERSE REACTION & ANAPHYLAXIS ORDERS:

Administer acute infusion and anaphylaxis medications per Palmetto Infusion standing adverse reaction orders, which can be found at our website or scan here.



### PRESCRIBER INFORMATION:

PROVIDER NAME:	PHONE:
ADDRESS:	FAX:
CITY, STATE, ZIP:	NPI:

### PRESCRIBER SIGNATURE: (No stamp signatures)

### DATE:

Dispense as written/Brand medically necessary	Substitution permitted