

Referral Status:		MRN:	
<input type="checkbox"/> New referral	<input type="checkbox"/> Order change	<input type="checkbox"/> Order Renewal	
Patient preferred clinic:			

## Xolair® (omalizumab) Standard Plan of Treatment for IgE-Mediated Food Allergy

### PATIENT DEMOGRAPHICS:

Date of Referral:		Patient's Phone:	
Patient Name:		Address:	
Date of Birth:		City, State, Zip:	
Height in inches:	Weight: LB or KG	Gender:	Allergies: <input type="checkbox"/> See list <input type="checkbox"/> NKDA

### DIAGNOSIS: (PLEASE COMPLETE 2<sup>ND</sup> AND 3<sup>RD</sup> DIGITS TO COMPLETE ICD 10 FOR BILLING)

<input type="checkbox"/> Z91.011 - Allergy to milk products	<input type="checkbox"/> Z91.018 - Allergy to other foods
<input type="checkbox"/> Z91.011 - Allergy to milk products	<input type="checkbox"/> Z91.012 - Allergy to eggs
<input type="checkbox"/> Z91.013 - Allergy to seafood	<input type="checkbox"/> - Other: _____

### REQUESTED DOCUMENTATION:

1	Insurance information
2	Most recent History & Physical
3	Full medication list
4	Tried and failed therapies
5	Pre-treatment serum IgE level as required for dosing

### PREVIOUS ADMINISTRATION: HAS THIS PATIENT TAKEN THIS MEDICATION BEFORE?

IF NO:	IF YES:
PLEASE STATE REQUIRED WASHOUT FROM PREVIOUS THERAPY:	LAST INFUSION DATE:
	NEXT INFUSION DATE:
<b>IF ORDER CHANGE:</b>	
<b>Continue current order until insurance approved</b>	

### Provider Attestation for HCP administration:

<input type="checkbox"/> Provider attests that the patient or caregiver is not competent or is physically unable to administer the Xolair labeled self-administration.	<input type="checkbox"/> The location and circumstances for self-administration are not adequate for the potential treatment of anaphylaxis should that arise.
<input type="checkbox"/> Patient has experienced severe hypersensitivity reactions to Xolair or other agents, such as foods, drugs, biologics, within the past 6 months or requires administration and direct monitoring by a healthcare professional.	<input type="checkbox"/> Patient has a history of uncontrolled disease and ordering physician attests that in their clinical opinion, it is not advisable to try the self-administration formulation of requested drug
<input type="checkbox"/> Patient has not received at least 3 doses of Xolair under the guidance of a healthcare provider with no hypersensitivity reactions*	<input type="checkbox"/> Due to patient's weight, ordering provider attests that in their clinical opinion, it is not advisable to try the self-administered formulation of requested drug.

\*Specific reactions: \_\_\_\_\_

### MEDICATION ORDERS:

**NOTE: Patient may be ineligible to receive Xolair® (omalizumab) if patient has signs/symptoms of parasitic infection, is currently being treated for a parasitic infection, or is having acute bronchospasm and/or asthma attack.**

### MEDICATION/FREQUENCY:

Xolair® (omalizumab) subcutaneously every 2 weeks:  Xolair® (omalizumab) subcutaneously every 4 weeks:

### DOSE:

75mg/dose   
  150 mg/dose   
  225mg/dose   
  300mg/dose   
  375mg/dose  
 400mg/dose   
  450mg/dose   
  525 mg/dose   
  600mg/dose

**Administer as subcutaneous injection to upper arm, thigh, or abdomen. No more than 150 mg per injection site**

### SPECIAL ORDERS:

\_\_\_\_\_

Extended post treatment monitoring for any patient new to therapy: monitor patient for two (2) hours after first 3 injections, and for 30-minutes after all subsequent injections.

Refills x 12 months unless noted otherwise here:

### Care Orders:

Provide Nursing care Per Palmetto Infusion Nursing Procedures and post procedure observation if indicated.

### Adverse Reaction and Anaphylaxis Orders:

Administer acute infusion and anaphylaxis medications per Palmetto Infusion standing adverse reaction orders, which can be found at our website or scan here.



### PRESCRIBER INFORMATION:

PROVIDER NAME:	PHONE:
ADDRESS:	FAX:
CITY, STATE, ZIP:	NPI:

### PRESCRIBER SIGNATURE: (No stamp signatures)

DATE

Dispense as written/Brand medically necessary	Substitution permitted