

Referral Status:	MRN:
<input type="checkbox"/> New referral	<input type="checkbox"/> Order change
<input type="checkbox"/> Order Renewal	
Patient preferred clinic:	

# Dalvance® (Dalbavancin) Standard Plan of Treatment

Rev 4.28.25

## PATIENT DEMOGRAPHICS:

Patient Name:	
Patient's Phone:	Address:
Date of Birth:	City, State, Zip:
Height in inches:	Weight: LB or KG Gender: Allergies: See list NKDA

## DIAGNOSIS: (PLEASE COMPLETE 2<sup>ND</sup> AND 3<sup>RD</sup> DIGITS TO COMPLETE ICD 10 FOR BILLING)

- Other:
- Other:

## REQUESTED DOCUMENTATION: PREVIOUS ADMINISTRATION: HAS THIS PATIENT TAKEN THIS MEDICATION BEFORE?

1	Insurance information	IF NO:	IF YES:
2	Most recent History & Physical	PLEASE STATE	LAST INFUSION DATE:
3	Full medication list	REQUIRED WASHOUT	NEXT INFUSION DATE:
4	Tried and failed therapies	FROM PREVIOUS	<b>IF ORDER CHANGE:</b>
5	Labs and tests results including BUN, serum creatinine and LFTs within 30-60 days	THERAPY:	<b>Continue current order until insurance approved</b>

## MEDICATION ORDERS:

**NOTE: Dosage in Patients with Renal Impairment:** In patients with renal impairment whose known creatinine clearance is less than 30 mL/min and who are not receiving regularly scheduled hemodialysis, dosing adjustment is suggested.

**Dilution:** Use ONLY 5% dextrose in sterile water (D5W) for dilution. **Do NOT use Normal Saline for dilution or flushing of IV line** as it is incompatible with DALVANCE® and may cause precipitation of the drug. Therefore, other intravenous substances, additives, or other medications mixed in normal saline should **NOT** be added to DALVANCE® vials or infused simultaneously through the same IV line or through a common intravenous port. If the same intravenous line is used for sequential infusion of additional medications, the line should be flushed before and after infusion with D5W.

## MEDICATION:

- Dalvance® (Dalbavancin) in 100--250ml of D5W IV to infuse over 30 minutes
- Flush with D5W before and after infusion only \*\*Not compatible with NS\*\*

## DOSE/FREQUENCY:

Creatinine Clearance	Single Dose Regimen	Two-dose Regimen
≥ 30 mL/min or on regular hemodialysis	<b>1500mg</b>	<b>1000mg on day 0 and 500mg on day 7</b>
< 30 mL/min and not on regular hemodialysis	<b>1125mg</b>	<b>750mg on day 0 and 375mg on day 7</b>

Other: \_\_\_\_\_

## SPECIAL/LAB ORDERS:

\_\_\_\_\_

Refills: \_\_\_\_\_

## NURSING ORDERS:

- Start PIV/Access CVC
- Flush device per facility standard flushing procedure
- Provide nursing care per Palmetto Infusion Nursing Procedures and post procedure observation if indicated

## ADVERSE REACTION & ANAPHYLAXIS ORDERS:

Administer acute infusion and anaphylaxis medications per Palmetto Infusion standing adverse reaction orders, which can be found at our website.

## PRESCRIBER INFORMATION:

PROVIDER NAME:	PHONE:
ADDRESS:	FAX:
CITY, STATE, ZIP:	NPI:

## PRESCRIBER SIGNATURE: (No stamp signatures)

DATE:

Dispense as written/Brand medically necessary	Substitution permitted
---	------------------------



## Checklist for referrals to Palmetto Infusion: Fax referral to 1.866.872.8920

- Patient demographics - address, phone number, SS#, etc.**
- Insurance information - copy of the card(s) if possible**
- Plan of Treatment/Orders**
- Most recent physician office notes to include tried and failed therapies - all insurance companies that require a pre-authorization require the note. This includes Medicare/Medicaid HMOs.**
- Any lab results or other diagnostic procedures to support the diagnosis.**

Palmetto Infusion will complete insurance verification and submit all required clinical documentation to the patient's insurance company for eligibility.

Our office will notify you if any further information is required.

We will review financial responsibility with patient and refer them to any available co-pay assistance as required. Palmetto Infusion Call Center 800.809.1265. Thank you for your referral.

[www.palmettoinfusion.com](http://www.palmettoinfusion.com)